

PRODUCT TYPE		CAPACITY					TERMINAL	DIMENSIONS & WEIGHT EACH			
BCI GROUP SIZE	Trojan Model Number	Voltage	5 Hr Rate (Ah)	20 Hr Rate (Ah)	100 Hr Rate (Ah)	Kilowatt Hours @ 100 Hr Rate kWh	TERMINAL OPTIONS (See below)	LENGTH Inches (mm)	WIDTH Inches (mm)	HEIGHT Inches (mm)	WEIGHT Pounds (kg)
6 VOLT DEEP-CYCLE FLOODED BATTERIES - with T2 TECHNOLOGY™											
GC2	T605	6 VOLT	175	210	232	1,39	1,2,3,4	10 3/8 (264)	7 1/8 (181)	10 7/8 (276)	58 (26)
GC2	T105	6 VOLT	185	225	250	1,50	1,2,3,4,5	10 3/8 (264)	7 1/8 (181)	10 7/8 (276)	62 (28)
GC2	T105+	6 VOLT	185	225	250	1,50	1,2,3,4	10 3/8 (264)	7 1/8 (181)	10 11/16 (272)	62 (28)
GC2	T125	6 VOLT	195	240	266	1,60	1,2,3,4	10 3/8 (264)	7 1/8 (181)	10 7/8 (276)	66 (30)
GC2	T125+	6 VOLT	195	240	266	1,60	1,2,3,4	10 3/8 (264)	7 1/8 (181)	10 11/16 (272)	66 (30)
GC2H	T145	6 VOLT	215	260	287	1,72	1,2,3,4	10 3/8 (264)	7 1/8 (181)	11 5/8 (295)	72 (33)
GC2H	T145+	6 VOLT	215	260	287	1,72	1,2,3,4	10 3/8 (264)	7 1/8 (181)	11 1/2 (292)	72 (33)
DIN	TE35	6 VOLT	200	245	271	1,63	8	9 5/8 (244)	7 1/2 (191)	10 7/8 (276)	68 (31)
901	J250G	6 VOLT	195	235	261	1,57	7	11 1/2 (292)	7 (178)	11 7/8 (302)	67 (30)
901	J250P	6 VOLT	215	250	278	1,67	6	11 11/16 (297)	7 (178)	11 1/2 (292)	72 (33)
902	J305E-AC	6 VOLT	250	305	339	2,03	7	12 1/4 (311)	7 (178)	14 3/8 (365)	83 (38)
902	J305G-AC	6 VOLT	258	315	350	2,10	7	12 1/4 (311)	7 (178)	14 3/8 (365)	88 (40)
902	J305P-AC	6 VOLT	271	330	367	2,20	6	11 5/8 (295)	7 (178)	14 3/8 (365)	96 (44)
902	J305H-AC	6 VOLT	295	360	400	2,40	6	11 5/8 (295)	7 (178)	14 3/8 (365)	98 (45)
903	L16E-AC	6 VOLT	303	370	411	2,47	7	12 1/4 (311)	7 (178)	16 3/8 (417)	100 (46)
903	L16G-AC	6 VOLT	320	390	433	2,60	7	12 1/4 (311)	7 (178)	16 3/8 (417)	107 (49)
903	L16P-AC	6 VOLT	344	420	467	2,80	6	11 5/8 (295)	7 (178)	16 3/4 (424)	114 (52)
903	L16H-AC	6 VOLT	357	435	483	2,89	6	11 5/8 (295)	7 (178)	16 3/4 (424)	125 (57)
903	L16P	6 VOLT	344	420	467	2,80	5	11 5/8 (295)	7 (178)	16 3/4 (424)	114 (52)
903	L16H	6 VOLT	357	435	483	2,89	5	11 5/8 (295)	7 (178)	16 3/4 (424)	125 (57)
8 VOLT DEEP-CYCLE FLOODED BATTERIES - with T2 TECHNOLOGY™											
GC8	T860	8 VOLT	125	150	167	1,34	1	10 3/8 (264)	7 1/8 (181)	10 7/8 (276)	58 (26)
GC8	T875	8 VOLT	145	170	189	1,51	1,2,3,	10 3/8 (264)	7 1/8 (181)	10 7/8 (276)	63 (29)
GC8	T890	8 VOLT	155	190	211	1,69	1,2,3	10 3/8 (264)	7 1/8 (181)	10 7/8 (276)	69 (31)
12 VOLT DEEP-CYCLE FLOODED BATTERIES - with T2 TECHNOLOGY™											
24	24TMX	12 VOLT	70	85	94	1,13	5,9	11 1/4 (286)	6 3/4 (171)	9 3/4 (248)	47 (21)
27	27TMX	12 VOLT	85	105	117	1,40	5,9	12 3/4 (324)	6 3/4 (171)	9 3/4 (248)	55 (25)
27	27TMH	12 VOLT	95	115	128	1,54	5,7,8,9	12 3/4 (324)	6 3/4 (171)	9 3/4 (248)	61 (28)

30H	30XHS	12 VOLT	105	130	144	1,73	5,7,8,9	13 15/16 (355)	6 3/4 (171)	10 1/16 (256)	66 (30)
30H	31XHS	12 VOLT	105	130	144	1,73	11	13 (330)	6 3/4 (171)	9 1/2 (241)	67 (30)
N/A	T1260+	12 VOLT	113	140	155	1,86	1	12 7/8 (327)	7 1/8 (181)	10 11/16 (272)	78 (35)
N/A	T1275	12 VOLT	120	150	166	1,99	1	12 7/8 (327)	7 1/8 (181)	10 7/8 (276)	82 (37)
N/A	T1275+	12 VOLT	120	150	166	1,99	1	12 7/8 (327)	7 1/8 (181)	10 11/16 (272)	82 (37)
N/A	J150	12 VOLT	120	150	166	1,99	1, 2	13 13/16 (351)	7 1/8 (181)	11 1/8 (283)	84 (38)
N/A	J150+	12 VOLT	120	150	166	1,99	1,2,3	13 13/16 (351)	7 1/8 (181)	11 1/8 (283)	84 (38)
921	J185E-AC	12 VOLT	144	175	194	2,33	7, 9	15 1/2 (394)	7 (178)	14 5/8 (371)	102 (46)
921	J185G-AC	12 VOLT	152	185	205	2,46	7, 9	15 1/2 (394)	7 (178)	14 5/8 (371)	106 (48)
921	J185P-AC	12 VOLT	168	205	226	2,71	6	15 (381)	7 (178)	14 5/8 (371)	114 (52)
921	J185H-AC	12 VOLT	185	225	249	2,99	6	15 (381)	7 (178)	14 5/8 (371)	128 (58)
N/A	DC-500ML	12 VOLT	361	450	500	6,00	5, 8	19 1/4 (489)	10 5/8 (270)	16 3/4 (425)	332 (151)
MARINE/RV DEEP-CYCLE BATTERIES - with T2 TECHNOLOGY™											
24	SCS150	12 VOLT	80	100	111	1,33	10	11 1/4 (286)	6 3/4 (171)	9 3/4 (248)	50 (23)
27	SCS200	12 VOLT	95	115	128	1,54	10	12 3/4 (325)	6 3/4 (248)	9 3/4 (248)	60 (27)
30H	SCS225	12 VOLT	105	130	144	1,73	10	13 15/16 (355)	6 3/4 (171)	9 7/8 (251)	66 (30)
36 VOLT DEEP-CYCLE FLOODED BATTERY											
N/A	18-DC500ML	36 VOLT	361	450	500	18,00	12	35 1/4 (895)	19 1/8 (486)	16 3/4 (425)	986 (447)
PREMIUM LINE - DEEP-CYCLE FLOODED BATTERIES											
GC2H	T105-RE	6 VOLT	185	225	250	1,50	5	10 3/8 (264)	7 1/8 (181)	11 3/4 (299)	67 (30)
903	L16RE-A	6 VOLT	267	325	360	2,16	5	11 5/8 (295)	7 (178)	17 11/16 (450)	115 (52)
903	L16RE-B	6 VOLT	303	370	410	2,46	5	11 5/8 (295)	7 (178)	17 11/16 (450)	118 (54)
903	L16RE-2V	2 VOLT	909	1110	1235	2,47	5	11 5/8 (295)	7 (178)	17 11/16 (450)	119 (54)
INDUSTRIAL LINE - DEEP-CYCLE FLOODED BATTERIES											
N/A	IND9-6V	6 VOLT	355	445	545	3,27	14	15 3/8 (390)	10 1/4 (260)	24 (610)	220 (100)
N/A	IND13-6V	6 VOLT	533	673	820	4,92	14	22 3/8 (568)	10 1/4 (260)	24 (610)	315 (143)
N/A	IND17-6V	6 VOLT	711	897	1090	6,54	14	26 11/16 (678)	10 1/4 (260)	24 (610)	415 (188)
N/A	IND23-4V	4 VOLT	977	1233	1500	6,00	14	22 3/8 (568)	10 1/4 (260)	24 (610)	370 (168)
N/A	IND29-4V	4 VOLT	1245	1570	1910	7,64	14	26 11/16 (678)	10 1/4 (260)	24 (610)	465 (211)
DEEP-CYCLE GEL BATTERIES											
GC2	6V-GEL	6 VOLT	154	189	198	1,19	7	10 1/4 (260)	7 1/8 (181)	10 7/8 (276)	68 (31)
DIN	TE35-GEL	6 VOLT	180	210	220	1,32	8	9 5/8 (244)	7 1/2 (190)	10 7/8 (276)	69 (31)
8D	8D-GEL	12 VOLT	188	225	265	3,18	5	21 1/16 (534)	11 (279)	10 13/16 (233)	157 (71)

24	24-GEL	12 VOLT	66	77	85	1,02	6,7	10 7/8 (276)	6 3/4 (171)	9 5/16 (236)	52 (24)
27	27-GEL	12 VOLT	76	91	100	1,20	7	12 3/4 (324)	6 3/4 (171)	9 1/4 (234)	63 (29)
31	31-GEL	12 VOLT	85	102	108	1,30	7	12 15/16 (329)	6 3/4 (171)	9 5/8 (245)	60 (32)
DIN	5SHP-GEL	12 VOLT	110	125	137	1,64	8	13 9/16 (345)	6 3/4 (171)	11 1/8 (283)	85 (39)
DEEP-CYCLE AGM BATTERIES											
U1	U1-AGM	12 VOLT	29	33	34	0,408	13	8 3/16 (207)	5 3/16 (132)	6 13/16 (174)	27 (12)
22	22-AGM	12 VOLT	43,3	50	52	0,624	13	9 (229)	5 8/16 (139)	8 1/16 (205)	40 (18)
24	24-AGM	12 VOLT	67	76	84	1,01	6	10 3/4 (274)	6 13/16 (174)	8 11/16 (220)	54 (24)
27	27-AGM	12 VOLT	77	89	99	1,19	6	12 9/16 (318)	6 13/16 (174)	8 3/4 (221)	64 (29)
31	31-AGM	12 VOLT	82	100	111	1,33	6	13 7/16 (341)	6 13/16 (174)	9 3/16 (233)	69 (31)
31	OverDrive™ AGM31	12 VOLT	84	102	112	1,34	11	13 7/16 (341)	6 13/16 (174)	9 1/4 (234)	69 (31)
STARTING AGM BATTERY											
31	TransPower™S T1000 AGM 31	12 VOLT	88	102	105	1,26	11	13 7/16 (341)	6 13/16 (174)	9 1/4 (234)	75 (34)
DUAL PURPOSE AGM BATTERIES											
GC2	6V-AGM	6 VOLT	154	200	221	1,33	6	10 1/4 (260)	7 1/8 (181)	10 3/4 (274)	65 (29)
8D	8D-AGM	12 VOLT	179	230	254	3,05	6	20 1/2 (521)	10 9/16 (269)	9 3/16 (233)	167 (76)
TERMINAL CONFIGURATIONS											